

FIG. 1




FIG. 2

3 (4, 5) E-MAIL TERMINAL DEVICE




FIG. 3

GROUP NAME FIELD	MAIL ADDRESS FIELD			INPUT COUNT FIELD	GROUP NAME INPUT REJECT FLAG FIELD 0: NON-REJECT 1: REJECT
	To	Cc	Bcc		
ABC	ABC0001	ABC0002 ABC0003 ABC0004	ABC0005	3	0
	BCD0001	BCD0002 BCD0003	ABC0005	5	1
	CDE0001 CDE0002 CDE0003			2	0
AAA	ABC0001	ABC0002 ABC0003 ABC0004		7	0

131 HYSTERESIS TABLE

FIG. 4




FIG. 5

FIG. 5




FIG. 6

62 DESTINATIONS

60

MAIL CREATION	
To	ABC0001
Cc	ABC0002, ABC0003, ABC0004
Bcc	
MAIL NAME	ABCDEFG
<div>ABCDEF ABCDEF ABCDEF</div>	
<div>DELIVERING</div> <div>STORING</div>	

61 MAIL HEADER

FIG. 7

INPUT COUNT SETTING

WHEN SAME COMBINATION OF MAIL ADDRESSES ARE INPUTTED **THREE** OR MORE TIMES, DIALOG FOR REGISTERING MAIL ADDRESS GROUP IS AUTOMATICALLY DISPLAYED.

OK CANCEL

70

71

FIG. 8

GROUP NAME AUTOREGISTRATION SETTING

AUTOMATIC NAMING (81) OR NON-NAMING (82) OF MAIL ADDRESS GROUP

○ 81 ● 82

OK CANCEL

80

83

FIG. 9

90

MAIL ADDRESS GROUP NAME REGISTRATION

FOLLOWING MAIL ADDRESSES CAN BE REGISTERED AS A GROUP

To	ABC0001
Cc	ABC0002, ABC0003, ABC0004
Bcc	

91

92 GROUP NAME AAA

WHEN REGISTERING, INPUT GROUP NAME AND CLICK [REGISTER] BUTTON. WHEN CLICKING [REGISTER-LATER-ON] BUTTON, IT WILL BE INQUIRED AGAIN IF SAME COMBINATION OF MAIL ADDRESSES WILL BE GIVEN NEXT TIME. WHEN CLICKING [NON-REGISTER] BUTTON, NO INQUIRY ABOUT THIS COMBIANTION IS MADE.

93 REGISTER

94 REGISTER-LATER-ON

95 NON-REGISTER

FIG. 10

100

MAIL ADDRESS GROUP EDIT

101 GROUP NAME BOX	102 ADDRESS BOX
<div>ABC</div> <div>AAA</div> <div>UNREGISTERED</div> <div>UNREGISTERED</div>	<div>To</div> <div>ABC0001</div> <div>Cc</div> <div>ABC0002</div> <div>ABC0003</div> <div>ABC0004</div> <div>Bcc</div> <div>ABC0005</div>

NEW REGISTRATION	EDIT	DELETE
---------------------	------	--------